



وبینار سراسری تجارب مراقبت در منزل

پزشکی، پرستاری و مامایی





دانشگاه علوم پزشکی قزوین




ارائه سخنرانی



عنوان:

Experiences of patients with
Covid-19 from home treatment:
A qualitative study



ارائه دهنده

ساره محمدی (Sareh Mohammadi)



کارشناسی ارشد پرستاری مراقبت های ویژه، دانشکده پرستاری و مامایی، دانشگاه علوم پزشکی البرز، البرز، ایران

اسامی نویسندگان

۱

دکتر لیلی یکه فلاح

دانشیار، گروه پرستاری مراقبت های ویژه، دانشکده پرستاری و مامایی، دانشگاه علوم پزشکی قزوین، قزوین

۲

عباس احمدی

کارشناسی ارشد پرستاری. دانشکده پرستاری و مامایی، دانشگاه علوم پزشکی قزوین، قزوین

۳

ساره محمدی

کارشناسی ارشد پرستاری مراقبت های ویژه، دانشکده پرستاری و مامایی، دانشگاه علوم پزشکی البرز، البرز



Background and purpose

The demand for home care services has increased not only due to the increase in the elderly population but also due to consumer preference and technological advances that allow for the provision of sophisticated home care. Home health care services aim to help people improve their performance and live a more independent life, improve their well-being, and help them stay home, avoiding hospitalization.

This study aimed to Experiences of patients with COVID-19 from home treatment in Qazvin city.

Method

A qualitative study with a conventional content analysis method was used. ten participants were selected using purposeful sampling from 5 October to 25 May 2020. In-depth semi-structured interviews were used to collect data. Data were analyzed by continuous comparative analysis using MAXQDA 10 software.





Results

Data analysis on patients' experiences with COVID-19 specified four subthemes and themes, including Economic, Emotional, Reliability, and Support.



Conclusion

Home care holds the potential, in future waves of COVID-19, or a new pandemic, to serve as a source of overflow care when acute care settings are overburdened and patients are discharged from acute and long-term care settings



پیشنهادهات

- پیشنهاد می‌گردد بستر سازی مناسب جهت ارتقا مراقبت در منزل صورت گیرد و همانند بسیاری از کشورهای جهان مراقبت در منزل به عنوان بخشی از روند درمان بیماران در نظر گرفته شود، با این رویکرد می‌توان به سمت کاهش موارد بستری های غیر حاد و کاهش عوارض بستری طولانی مدت حرکت کرد.



با تشکر از
توجه شما

—